International Journal of Food Microbiology, 10 (1990) 353–354
Elsevier

Author index

Adachi, S., see Toba, T. (10) 219
Adesiyun, A.A., see Umoh, V.J. (10) 343
Alanko, T., see Korkeala, H. (10) 245
Arendt, E.K., see Wolf, G. (10) 323
Arihara, K., see Toba, T. (10) 219
Ashenafi, M.
Microbiological quality of Ayib, a traditional Ethiopian cottage cheese (10) 263

Baker, D.A., Genigeorgis, C., Glover, J. and Razavilar, V.
Growth and toxigenesis of *C. botulinum* type E in fishes packaged under modified atmospheres (10) 269
Batish, V.K., see Grover, S. (10) 201
Bergdoll, M.S.
Analytical methods for *Staphylococcus aureus* (10) 91
Beuchat, L.R., see Golden, D.A. (10) 143
Bischofberger, T., see Schmidt-Lorenz, W. (10) 157
Boot, R., see Schwabe, M. (10) 33
Brackett, R.E., see Golden, D.A. (10) 143

Cha, S.-K., see Schmidt-Lorenz, W. (10) 157
Collins-Thompson, D.L., see Fistrovici, E. (10) 43
Connolly, P. and Corry, J.E.L.
Effect of polymyxin B nonapeptide and polymyxin B sulphate on trichothecene mycotoxin sensitivity of yeasts using a conductimetric instrument (10) 73
Corry, J.E.L., see Connolly, P. (10) 73

Delfgou-Van Asch, E.H.M., see Notermans, S. (10) 209
Dilts, B.D., see Greer, G.G. (10) 331
Duan, J., see Guerzoni, M.E. (10) 1

Fistrovici, E. and Collins-Thompson, D.L.
Use of plasmid profiles and restriction endonuclease digest in environmental studies of *Listeria* spp. from raw milk (10) 43

Gardini, F., see Guerzoni, M.E. (10) 1
Garg, S.K., see Srinivas, D. (10) 51
Genigeorgis, C., see Baker, D.A. (10) 269
Glover, J., see Baker, D.A. (10) 269
Golden, D.A., Brackett, R.E. and Beuchat, L.R.
Efficacy of direct plating media for recovering *Listeria monocytogenes* from foods (10) 143
Gomwalk, N.E., see Umoh, V.J. (10) 343
Gram, L., Wedell-Neergaard, C. and Huss, H.H.
The bacteriology of fresh and spoiling Lake Victorian Nile perch (*Lates niloticus*) (10) 303
Granum, P.E.
Clostridium perfringens toxins involved in food poisoning (10) 101
Greenwood, M.H., see McLauchlin, J. (10) 255
Greer, G.G. and Dilts, B.D.
Inability of a bacteriophage pool to control beef spoilage (10) 331
Grover, S., Batish, V.K. and Srinivasan, R.A.
Production and properties of crude enterotoxin of *Pseudomonas aeruginosa* (10) 201
Guerzoni, M.E., Gardini, F. and Duan, J.
Interactions between inhibition factors on microbial stability of fruit-based systems (10) 1

Hammes, W.P., see Wolf, G. (10) 323
Hauschild, A.H.W.
Clostridium botulinum toxins (10) 113
Huss, H.H., see Gram, L. (10) 303

Jeppesen, C., see Knøchel, S. (10) 317
Jooste, P.J., see Wessels, D. (10) 349

Karapınar, M.
Inhibitory effects of anethole and eugenol on the growth and toxin production of *Aspergillus parasiticus* (10) 193
Kleinlein, N. and Untermann, F.
Growth of pathogenic *Yersinia enterocolitica* strains in minced meat with and without protective gas with consideration of the competitive background flora (10) 65
Knøchel, S. and Jeppesen, C.
Distribution and characteristics of *Aeromonas* in food and drinking water in Denmark (10) 317
Knøchel, S.
Growth characteristics of motile *Aeromonas* spp. isolated from different environments (10) 235

0168-1605/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Korkeala, H., Alanko, T., Mäkelä, P. and Lindroth, S.
Lactic acid and pH as indicators of spoilage for vacuum-packed cooked ring sausages (10) 245
Krämer, J., see Neumayr, L. (10) 225
Krämer, J., see Schwabe, M. (10) 33

Liberski, D.J.A.
Bacteriological examinations of chilled, cured canned pork hams and shoulders using a conventional microbiological technique and the DEFT method (10) 19
Lindroth, S., see Korkeala, H. (10) 245
Lücke, F.-K., see Rödel, W. (10) 291

Mäkelä, P., see Korkeala, H. (10) 245
McLauchlin, J., Greenwood, M.H. and Pini, P.N.
The occurrence of *Listeria monocytogenes* in cheese from a manufacturer associated with a case of listeriosis (10) 255
Mital, B.K., see Srinivas, D. (10) 51
Mostert, J.F., see Wessels, D. (10) 349

Neumayr, L. and Krämer, J.
Production of enterotoxin A and thermonuclease by *Staphylococcus aureus* in legumes (10) 225
Notermans, S., Soentoro, P.S.S. and Delfgou-Van Asch, E.H.M.
Survival of pathogenic microorganisms in an egg-nog-like product containing 7% ethanol (10) 209
Notermans, S., see Schwabe, M. (10) 33

Petchsing, U. and Woodburn, M.J.
Staphylococcus aureus and *Escherichia coli* in nham (Thai-style fermented pork sausage) (10) 183
Pfähler, U., see Wolf, G. (10) 323
Pini, P.N., see McLauchlin, J. (10) 255

Razavilar, V., see Baker, D.A. (10) 269
Rödel, W. and Lücke, F.-K.
Effect of redox potential on *Bacillus subtilis* and *Bacillus licheniformis* in broth and in pasteurized sausage mixtures (10) 291

Schmidt-Lorenz, W., Bischofberger, T. and Cha, S.-K.
A simple nutrient-tolerance (NT) test for the characterization of the different types of oligocarbotolerant and oligocarbophile water bacteria from non-carbonated mineral water (10) 157
Schwabe, M., Notermans, S., Boot, R., Tatini, S.R. and Krämer, J.
Inactivation of staphylococcal enterotoxins by heat and reactivation by high pH treatment (10) 33
Shinagawa, K.
Analytical methods for *Bacillus cereus* and other *Bacillus* species (10) 125
Smulders, F.J.M., see Van Klink, E.G.M. (10) 177
Soentoro, P.S.S., see Notermans, S. (10) 209
Srinivas, D., Mital, B.K. and Garg, S.K.
Utilization of sugars by *Lactobacillus acidophilus* strains (10) 51
Srinivasan, R.A., see Grover, S. (10) 201
Stekelenburg, F.K.
Irradiation of pre-packaged sliced cooked meat products with low and normal sodium content (10) 23

Tatini, S.R., see Schwabe, M. (10) 33
Thompson, A., see Thompson, J.S. (10) 59
Thompson, J.S. and Thompson, A.
In-home pasteurization of raw goat's milk by microwave treatment (10) 59
Toba, T., Arihara, K. and Adachi, S.
Distribution of microorganisms with particular reference to encapsulated bacteria in kefir grains (10) 219

Umoh, V.J., Adesiyun, A.A. and Gomwalk, N.E.
The occurrence of *Staphylococcus aureus* in fermented milk products (Fura and Manshanu) in Nigeria (10) 343
Untermann, F., see Kleinlein, N. (10) 65

Van Klink, E.G.M. and Smulders, F.J.M.
A comparison of different enrichment media for the isolation of *Salmonella dublin* from livers, kidneys and muscles of *Salmonella*-positive veal calves (10) 177

Wedell-Neergaard, C., see Gram, L. (10) 303
Wessels, D., Jooste, P.J. and Mostert, J.F.
Technologically important characteristics of *Enterococcus* isolates from milk and dairy products (10) 349
Wolf, G., Arendt, E.K., Pfähler, U. and Hammes, W.P.
Heme-dependent and heme-independent nitrite reduction by lactic acid bacteria results in different N-containing products (10) 323
Woodburn, M.J., see Petchsing, U. (10) 183

International Journal of Food Microbiology, 10 (1990) 355–356
Elsevier

Subject index

a_w, (10) 1
Acidophilus milk, (10) 51
Aeromonas, (10) 235; (10) 303; (10) 317
Aflatoxin, (10) 193
Analytical methods, (10) 91; (10) 125
Anethole, (10) 193
Aspergillus parasiticus, (10) 193
Ayib, (10) 263

Bacillus cereus, (10) 125
Bacillus spp., (10) 125; (10) 291
Beef, (10) 331
Benzoic acid, (10) 1
Biological control, (10) 331

Cabbage, (10) 143
Canned meat, (10) 19
Cheese, Brie, (10) 143
Clostridium botulinum, (10) 113; (10) 269
Clostridium perfringens, (10) 101
Competitive flora, (10) 65
Conductance, (10) 73
Cooked meat products, (10) 23
Cottage cheese, (10) 263
Crude enterotoxin, (10) 201

Dairy products, (10) 349
Deoxynivalenol, (10) 73
Direct epifluorescent filter technique (DEFT), (10) 19
Direct plating method, (10) 143
Distribution, (10) 317
Drinking water, (10) 317

Egg-nog, (10) 209
Encapsulated bacteria, (10) 219
Enrichment media, (10) 177
Enterococcus, (10) 349
Enterotoxin, (10) 91; (10) 101
Enterotoxin A, (10) 225
Enterotoxin assay, (10) 125
Epidemiology, (10) 255
Escherichia coli, (10) 183
Ethanol, (10) 209
Eugenol, (10) 193

Fermented milk products (Fura, Manshanu), (10) 343
Fermented sausage, (10) 183
Fish safety, (10) 269
Fish spoilage, (10) 303
Foodborne infection, (10) 255
Food intoxication, (10) 125
Food poisoning, (10) 101; (10) 125
Foods, (10) 113; (10) 317

Gas atmosphere, (10) 23
Goat's milk, (10) 59
Growth, (10) 193; (10) 291
Growth conditions, (10) 235

Heat inactivation, (10) 33

Ice cream, (10) 143
Inhibition, (10) 235
Irradiation, (10) 23

Kefir grains, (10) 219

Lactic acid bacteria, (10) 323
Lactic acid concentration, (10) 245
Lactobacilli, (10) 245
Lactobacillus acidophilus, (10) 51
Legumes, (10) 225
Lipolytic, (10) 349
Listeria, (10) 143
Listeria monocytogenes, (10) 255
Listeria spp., plasmids, (10) 43
Low-sodium meat, (10) 23

Microwave pasteurization, (10) 59
Milk, (10) 143; (10) 201
Minced meat, (10) 65
Modified atmosphere, (10) 65; (10) 269

Natural mineral water, (10) 157
Nham, (10) 183
Nile perch, (10) 303
Nitrite reduction, heme-dependent, (10) 323
Nitrite reduction, heme-independent, (10) 323

Oligocarbophiles, (10) 157
Oligocarbotolerants, (10) 157

P. aeruginosa CTM-3, (10) 201
Pasteurization, (10) 59

0168-1605/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Pathogenic microorganism, (10) 209
pH, (10) 235; (10) 245
Phage, (10) 331
Polymyxin B nonapeptide, (10) 73
Polymyxin B sulphate, (10) 73
Predictive model, (10) 269
Preservation, (10) 209
Proteolytic, (10) 349
Pseudomonas, (10) 303; (10) 331
Psychrotrophic, (10) 349

Raw milk, (10) 43; (10) 59
Reactivation, (10) 33
Redox potential, (10) 291
Restriction endonuclease digest, (10) 43
Risk assessment, (10) 269

Salmonella dublin, (10) 177
Salt, (10) 235
Sausage, (10) 291
Sausage, cooked, (10) 245
Scanning electron microscopy, (10) 219
Shelf-life, (10) 23
Soft cheese, (10) 255
Specific spoilers, (10) 303
Spoilage, (10) 245; (10) 331
Staphylococcal enterotoxin, (10) 33
Staphylococcus aureus, (10) 183; (10) 225; (10) 343
Staphylococcus spp., (10) 91
Structure, (10) 219
Sugar fermentation, (10) 51

Temperature, (10) 235; (10) 245
Thermal treatment, (10) 1
Thermonuclease, (10) 225
Toxigenesis, (10) 269
β-Toxin, (10) 101
T-2 Toxin, (10) 73
Toxins, (10) 113
Trichothecenes, (10) 73

Vacuum packaging, (10) 23; (10) 245
Veal calves, (10) 177

Water bacteria, (10) 157

Yeast, (10) 1; (10) 73
Yersinia enterocolitica, (10) 65